

## Q8 Hogarth 46

Energy efficient hydraulic oil for extreme operational reliability

### **Description**

Q8 Hogarth 46 guarantees a higher operational reliability and a long term stable fluid viscosity thanks to its great shear stability. The unique combination of a higher hydraulic response, the cold start ability and the reduction of internal leakages, makes this oil energy efficient in all situations. Its superior oxidation stability leads to an extended oil replenishment interval.

#### **Applications**

Q8 Hogarth 46 is perfect for usage in all temperatures and under tough circumstances such as off-highway equipment (bulldozers, scrapers, construction equipment...) and industrial hydraulic systems (paper mills, injection molding machines, steel industry).

#### **Benefits**

- Advanced and improved efficiency for all applications
- · No loss of quality over time
- · Excellently high viscosity index
- Exceptional stay-in-grade endurance
- Excellent flow properties
- · Ready to use thanks to its cold start capability
- Superior oxidation stability
- · Superior reduction of varnishing

#### Specifications & Approvals

 Bosch Rexroth
 RE 90220 notes
 ISO
 11158 HV

 DIN
 51524-3 HVLP
 MAG IAS
 P-68, P-69, P-70

 Denison
 HF-0, HF-1, HF-2
 Swedish Standard
 SS 155434 AV

 Eaton Brochure
 03-401-2010

#### **Properties**

|                                    | Method    | Unit       | Typical     |
|------------------------------------|-----------|------------|-------------|
| ISO Viscosity Grade                | -         | -          | 46          |
| Density, 15 °C                     | D 4052    | g/ml       | 0,857       |
| Colour                             | D 1500    | -          | L 0.5       |
| Kinematic Viscosity, 40 °C         | D 445     | mm²/s      | 46.6        |
| Kinematic Viscosity, 100 °C        | D 445     | mm²/s      | 8.75        |
| Viscosity Index                    | D 2270    | -          | 170         |
| Pour Point                         | D 97      | °C         | -33         |
| Flash Point, COC                   | D 92      | °C         | 200         |
| Emulsion, Distilled Water, 54.4 °C | D 1401    | -          | 40-40-0(15) |
| Foam, 5 min blowing, seq. 1-2-3    | D 892     | ml         | 10/25/10    |
| Foam, 10 min settling, seq. 1-2-3  | D 892     | ml         | 0/0/0       |
| Total Acid Number                  | D 664     | mg KOH/g   | 0.5         |
| Rust Test, Proc. A and B, 24 h     | D 665     | -          | pass        |
| Air Release, 50 °C                 | D 3427    | min        | 2.5         |
| Oxidation Characteristics (TOST)   | D 943     | hrs        | 5500        |
| FZG Test, A/8.3/90                 | DIN 51354 | load stage | 12          |

The figures above are not a specification. They are typical figures obtained within production tolerances.

#### Remarks

The energy efficiency is only valid when compared to Q8 standard hydraulic lubricants. The used technology has been tested under controlled circumstances. Improvements of the energy efficiency may vary based on applications and operating conditions.

# Sustainability

The product Carbon Footprint (PCF), cradle-to-gate (Q80ils state of the art facility in Belgium), of Q8 Hogarth 46 is **1.36** kg  $CO_2$ eq / kg. Please contact Q80ils to learn more about the positive environmental impact, the

handprint, of this product. For more info check here

