

Q8 Formula Elite C2 EVO 5W-30

Synthetic ACEA C2 passenger car engine oil

Description

Q8 Formula Elite C2 EVO 5W-30 is a superior synthetic low SAPS engine oil for passenger cars. The lubricant delivers exceptional fuel economy and engine durability benefits. It is developed to meet the requirements of ACEA C2 and the PSA B71 2290-2019 specification.

Applications

Q8 Formula Elite C2 EVO 5W-30 is suitable for passenger cars and commercial vehicles with normally aspirated or turbo-charged gasoline, LPG or diesel Euro 4, 5 and 6 engines requiring low SAPS engine oils. It is developed for Peugeot en Citroën cars and recommended for vehicles requiring Fiat 9.55535-DS1.

Benefits

- Superior protection for exhaust catalyst and diesel particulate filter.
- LSPI (Low Speed Pre Ignition) compatible formulation for turbocharged gasoline engines
- Superior engine cleanliness increasing engine durability.
- Best-in-class wear prevention ensuring long engine life.

Specifications, recommendations and approvals

ACEA	C2	PSA	B71 2290-2019
Fiat	9.55535-DS1		

Color code blue = officially approved

Properties

	Method	Unit	Typical
Density, 15 °C	D 4052	g/ml	0,849
Viscosity Grade	-	-	SAE 5W-30
Kinematic Viscosity, 40 °C	D 445	mm ² /s	50.7
Kinematic Viscosity, 100 °C	D 445	mm ² /s	9.5
Viscosity Index	D 2270	-	173
Viscosity at high temp. & high shear rate (HTHS)	CEC-L-36-A-90	mPa.s	>-2.9
Apparent Viscosity, -30 °C	D 5293	mPa.s	4200
Pour Point	D 97	°C	-33
Flash Point, COC	D 92	°C	208

The figures above are not a specification. They are typical figures obtained within production tolerances.

Sustainability

The product Carbon Footprint (PCF), cradle-to-gate (Q8Oils state of the art facility in Belgium), of Q8 Formula Elite C2 EVO 5W-30 is **1.20 kg CO₂eq / kg**.

Please contact Q8Oils to learn more about the positive environmental impact, the handprint, of this product.

For more info check here



**we
take
care**