

Q8 Ruysdael SG

Multi-purpose lithium-calcium grease

Description

Q8 Ruysdael SG is a multi-purpose lithium-calcium grease and highly recommended for applications in a humid and corrosive environment thanks to its excellent water resistance. It has a long service life, an excellent rust-protection and outstanding adhesive properties on metal. The mineral oil and the superb grease thickener in the Q8 Ruysdael SG lead to an excellent load carrying capacity.

Applications

Q8 Ruysdael SG is a special grease for applications in a humid and corrosive environment. It is used in civil engineering in presence of dust, water and high temperatures. Q8 Ruysdael SG is applied in the maritime field for equipment with heavy loads and in the presence of water. It can also be used as a multi-purpose grease in the transport sector and agriculture equipment.

Benefits

- Effortless operation thanks to its characteristics
- Highly multi-applicable
- Exceptionally water repellent
- Excellent adhesiveness
- Highly resistant to rust

Specifications & Approvals

DIN

51502 KP2.5K-20

ISO

6743 L-XBCHB2.5

Properties

	Method	Unit	Typical
Soap type	-	-	Lithium calcium
Consistency, NLGI No.	NLGI	-	NLGI 2-3
Penetration, Worked, 25 °C, 60 strokes	D 217	0.1 mm	260
Kin. Viscosity Base Oil at 40 °C	D 445	mm ² /s	520
Dropping Point	D 566	°C	>160
Four Ball Test, Weld Load	IP 239	N	4200

The figures above are not a specification. They are typical figures obtained within production tolerances.