

## Q8 Bach XNK

High performance, neat metal cutting oil

### Description

Q8 Bach XNK is a chlorine free, non-active, low viscosity performance neat cutting oil specially developed for honing operations.

### Applications

Q8 Bach XNK is a first choice product for honing and light machining operations.

### User instructions

In order to preserve the integrity of this product drums should be stored inside a building protected from water entry, frost and direct sunlight.

### Environment, Health and Safety

Please consult the Material Safety Data Sheet for instructions regarding safe handling and environmental issues.

### Properties

	Method	Unit	Typical
Density, 15 °C	D 4052	g/ml	0.818
Density, 20 °C	D 4052	g/ml	0.815
Kinematic Viscosity, 40 °C	D 445	mm <sup>2</sup> /s	4.7
Flash Point, COC	D 92	°C	130
Colour	D 1500	-	L 0.5
Copper Strip, 3 h, 100 °C	D 130	-	1b
Four Ball Test, Weld Load	IP 239	kg	300

The figures above are not a specification. They are typical figures obtained within production tolerances.

### Remarks

Please contact your Q8Oils representative for further advice and support on your specific application and equipment.

## Sustainability

The product Carbon Footprint (PCF), cradle-to-gate (Q8Oils state of the art facility in Belgium), of Q8 Bach XNK is **1.23** kg CO<sub>2</sub>eq / kg.

Please contact Q8Oils to learn more about the positive environmental impact, the handprint, of this product.  
For more info check here



**we  
take  
care**