

## Q8 Marine Engine Oil 0-278-2

Heavy duty diesel engine oil

### Description

Q8 Marine Engine Oil 0-278-2 is high performance engine oil suitable for four stroke diesel engines operating under severe heavy duty conditions.

### Applications

Four stroke diesel engines operating under severe heavy duty conditions.

#### Features

**Lower operational costs**

#### Benefits

Extended oil life due to outstanding viscosity control in combination with excellent base number retention over long period of time

**Engine cleanliness**

Excellent clean engine technology that minimizes deposit and sludge build-up throughout the engine

**Enhanced technology**

Developed with outstanding quality base oils and excellent additive technology, giving excellent oxidation- and thermal stability over prolonged periods of time

### Specifications & Approvals

|      |      |      |       |
|------|------|------|-------|
| ACEA | E7   | NATO | 0-278 |
| API  | CI-4 |      |       |

### Properties

|                             | Method | Unit               | Typical |
|-----------------------------|--------|--------------------|---------|
| Density, 15 °C              | D 4052 | g/ml               | 0,894   |
| Viscosity Grade             | -      | -                  | SAE 40  |
| Kinematic Viscosity, 40 °C  | D 445  | mm <sup>2</sup> /s | 130     |
| Kinematic Viscosity, 100 °C | D 445  | mm <sup>2</sup> /s | 14.2    |
| Viscosity Index             | D 2270 | -                  | 107     |
| Total Base Number           | D 2896 | mg KOH/g           | 10.3    |
| Pour Point                  | D 97   | °C                 | -39     |
| Flash Point, COC            | D 92   | °C                 | 212     |
| Sulfated Ash                | D 874  | % mass             | 1.4     |

The figures above are not a specification. They are typical figures obtained within production tolerances.

## Sustainability

The product Carbon Footprint (PCF), cradle-to-gate (Q8Oils state of the art facility in Belgium), of Q8 Marine Engine Oil 0-278-2 is **1.35 kg CO<sub>2</sub>eq / kg**.

Please contact Q8Oils to learn more about the positive environmental impact, the handprint, of this product.

For more info check here



**we  
take  
care**