Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) 2020/878 - Belgium

SAFETY DATA SHEET

Q8 Multi-Spray Base



SECTION 1: Identific	ation of the substance/mixtu	re and of the company/
undertaking		· · · · · · · · · · · · · · · · · · ·
1.1 Product identifier		
Product name	: Q8 Multi-Spray Base	
UFI	: G960-20WX-F00C-4U32	
1.2 Relevant identified uses	of the substance or mixture and uses ad	vised against
Material uses	: Rust preventive oil	
1.3 Details of the supplier of	the safety data sheet	
Supplier	: Kuwait Petroleum Companies in the Be Company Office: Brusselstraat 59, 201 Contactaddress: Petroleumkaai 7, 2020 Tel. +32 3 247 38 11, Fax +32 3 216 03	8 Antwerp, Belgium) Antwerp, Belgium
Manufacturer / Distributor	: Kuwait Petroleum Belgium N.V./S.A. Petroleumkaai 7 B-2020 Antwerp Belgium	 Q8Oils Italia S.r.l. Via Volpedo 2 15050 Castellar Guidobono (AL) Italy
e-mail address of person		
responsible for this SDS	: SDSinfo@Q8.com, communication pre	
PCN Information contact	: PCNinfo@Q8.com, communication pre	ferably in English only.
1.4 Emergency telephone nu	mber	
Europe	: +44 (0) 1235 239 670	CARECHEM24
Global (English only)	: +44 (0) 1865 407 333	
National advisory body/Poi	son Center	
Belgium	: Poison Centre : +32 (0)70 245 245	
SECTION 2: Hazards	identification	
2.1 Classification of the subs	stance or mixture	
Product definition	: Mixture	
Classification according to ASPIRATION HAZARD	Regulation (EC) No. 1272/2008 [CLP/GH Categ	
The product is classified as h	azardous according to Regulation (EC) 127	2/2008 as amended.
Ingredients of unknown toxicity	: None.	
Ingredients of unknown	: None.	

ecotoxicity

See Section 16 for the full text of the H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) 2020/878 - Belgium

Q8 Multi-Spray Base

SECTION 2: Hazards identification

Hazard pictograms	
Signal word	: Danger
Hazard statements	: H304 - May be fatal if swallowed and enters airways.
Precautionary statements	
Prevention	: Not applicable.
Response	: P301 + P310, P331 - IF SWALLOWED: Immediately call a POISON CENTER or doctor. Do NOT induce vomiting.
Storage	: Not applicable.
Disposal	 P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations.
Hazardous ingredients	: Severely refined mineral oil (C15 - C50) * - H304
Supplemental label elements	: Not applicable.
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	: Not applicable.
Special packaging requirem	<u>nents</u>
Containers to be fitted with child-resistant fastenings	: Not applicable.
Tactile warning of danger	: Not applicable.
2.3 Other hazards	
Product meets the criteria for PBT or vPvB according to Regulation (EC) No. 1907/2006, Annex XIII	: This mixture does not contain any substances that are assessed to be a PBT or a vPvB.
Other hazards which do not result in classification	: Prolonged or repeated contact may dry skin and cause irritation.

SECTION 3: Composition/information on ingredients

				Onesifie Cone	Turne
Product/ingredient name	Identifiers	%	Classification	Specific Conc. Limits, M-factors and ATEs	Туре
Severely refined mineral oil (C15 - C50) * - H304	-	≥90	Asp. Tox. 1, H304	-	[1] [2]
Distillates (petroleum), hydrotreated light naphthenic	REACH #: 01-2119480375-34 EC: 265-156-6 CAS: 64742-53-6 Index: 649-466-00-2	≤0.3	Asp. Tox. 1, H304	-	[1] [2]
			See Section 16 for the full text of the H statements declared above.		

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) 2020/878 - Belgium

Q8 Multi-Spray Base

SECTION 3: Composition/information on ingredients

* Contains one or more of the following:

CAS: 1335203-17-2, EC: 934-956-3, EU REACH: 01-2119827000-58

The mineral base oils contained in this product are severely refined and contain less than 3% DMSO extract according to IP 346 method, and are therefore not classified as carcinogen according to Regulation (EC) No 1272/2008, note L.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section. Type

[1] Substance classified with a health or environmental hazard

[2] Substance with a workplace exposure limit

Occupational exposure limits, if available, are listed in Section 8.

SECTION 4: First aid measures

4.1 Description of first aid measures

Eye contact	:	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.
Inhalation	:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Skin contact	:	Wash skin thoroughly with soap and water or use recognized skin cleanser. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	:	Get medical attention immediately. Call a poison center or physician. Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Aspiration hazard if swallowed. Can enter lungs and cause damage. Do not induce vomiting. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Protection of first-aiders	;	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

4.2 Most important symptoms and effects, both acute and delayed

Over-exposure signs/	/symptoms
Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: Adverse symptoms may include the following: irritation dryness cracking
Ingestion	: Adverse symptoms may include the following: nausea or vomiting
4.3 Indication of any in	nmediate medical attention and special treatment needed
Notes to physician	 Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	: No specific treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media		
Suitable extinguishing media	1	Use dry chemical, CO ₂ , alcohol-resistant foam or water spray (fog).
Unsuitable extinguishing media	:	Do not use water jet.
5.2 Special hazards arising f	ron	n the substance or mixture
Hazards from the substance or mixture	-	In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous combustion products	:	Decomposition products may include the following materials: carbon dioxide carbon monoxide
5.3 Advice for firefighters		
Special protective actions for fire-fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders	:	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
6.2 Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
6.3 Methods and materials for	' C	ontainment and cleaning up
Small spill	:	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product.
6.4 Reference to other sections	:	See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

7.1 Precautions for safe handling

Protective measures	: Put on appropriate personal protective equipment (see Section 8). Do not swallow. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

7.3 Specific end use(s)

Recommendations	: Not available.
Industrial sector specific solutions	: Not available.

SECTION 8: Exposure controls/personal protection

The information in this section contains generic advice and guidance. Information is provided based on typical anticipated uses of the product. Additional measures might be required for bulk handling or other uses that could significantly increase worker exposure or environmental releases.

8.1 Control parameters

Occupational exposure limits

Product/ingredient name	Exposure limit values
Severely refined mineral oil (C15 - C50) * - H304	Limit values (Belgium, 5/2021). [] TWA: 5 mg/m³ 8 hours. Form: mist
	STEL: 10 mg/m ³ 15 minutes. Form: mist EU OEL (Europe). TWA: 5 mg/m ³ 8 hours. Form: Mist
Distillates (petroleum), hydrotreated light	STEL: 10 mg/m ³ 15 minutes. Form: Mist Limit values (Belgium, 5/2021). [Mineral oils]
naphthenic	TWA: 5 mg/m ³ 8 hours. Form: mist STEL: 10 mg/m ³ 15 minutes. Form: mist
	EU OEL (Europe). TWA: 5 mg/m³, (oil Mist)

Biological exposure indices

No exposure indices known.

Recommended monitoring procedures	1	Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the
		assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace
		atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482
		(Workplace atmospheres - General requirements for the performance of procedures
		for the measurement of chemical agents) Reference to national guidance
		documents for methods for the determination of hazardous substances will also be

SECTION 8: Exposure controls/personal protection

required.

DNELs/DMELs

Product/ingredient name	Туре	Exposure	Value	Population	Effects
Distillates (petroleum), hydrotreated light naphthenic	DNEL	Long term Oral	0.74 mg/ kg bw/day	General population	Systemic
	DNEL	Long term Dermal	0.97 mg/ kg bw/day	Workers	Systemic
	DNEL	Long term Inhalation	1.19 mg/m ³	General population	Local
	DNEL	Long term Inhalation	2.73 mg/m ³	Workers	Systemic
	DNEL	Long term Inhalation	5.58 mg/m ³	Workers	Local

PNECs

No PNECs available.

8.2 Exposure controls		
Appropriate engineering controls	Good gen contamina	eral ventilation should be sufficient to control worker exposure to airborne ants.
Individual protection meas	<u>s</u>	
Hygiene measures	Do not ing	est. If swallowed then seek immediate medical assistance.
Eye/face protection	assessme gases or o	ewear complying with an approved standard should be used when a risk ent indicates this is necessary to avoid exposure to liquid splashes, mists, dusts. If contact is possible, the following protection should be worn, assessment indicates a higher degree of protection: safety glasses with ds.
Skin protection		
Hand protection	be worn a this is nec check dur should be different for several su estimated	resistant, impervious gloves complying with an approved standard should t all times when handling chemical products if a risk assessment indicates essary. Considering the parameters specified by the glove manufacturer, ing use that the gloves are still retaining their protective properties. It noted that the time to breakthrough for any glove material may be or different glove manufacturers. In the case of mixtures, consisting of abstances, the protection time of the gloves cannot be accurately . Wear suitable gloves tested to EN374. Recommended: < 1 hour bugh time): nitrile rubber 0.17 mm. Provide employee with skin care nes.
Body protection	being perf	protective equipment for the body should be selected based on the task formed and the risks involved and should be approved by a specialist ndling this product.
Other skin protection	selected b	te footwear and any additional skin protection measures should be based on the task being performed and the risks involved and should be by a specialist before handling this product.
Respiratory protection	appropriat respirator aspects o	the hazard and potential for exposure, select a respirator that meets the te standard or certification. Respirators must be used according to a y protection program to ensure proper fitting, training, and other important f use. Recommended: Boiling point > 65 °C: A1; Boiling point < 65 °C: material: A1P2.
Environmental exposure controls	ensure the In some c	from ventilation or work process equipment should be checked to ey comply with the requirements of environmental protection legislation. ases, fume scrubbers, filters or engineering modifications to the process t will be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

9.1 Information on basic physical and chemical properties

5.1 mornation on basic physica					
<u>Appearance</u>					
Physical state	:	Liquid. [Oily liquid.]			
Appearance	:	Clear.			
Color	:	Yellow [Light]			
Odor	:	Slight			
Odor threshold	1	Not available.			
Melting point/freezing point	:	Not applicable.			
Pour point	1	<-12°C (<10.4°F) [ASTM D 97]			
Initial boiling point and boiling range	:	>260°C (>500°F)			
Flammability	:	Not applicable.			
Lower and upper explosion limit	:	Not available.			
Flash point	:	Open cup: >126°C (>258.8°F) [ASTM D 92]			
Auto-ignition temperature	:	>300°C (>572°F)			
Decomposition temperature	:	>260°C			
рН	:	Not applicable.			
Viscosity	:	Kinematic (40°C (104°F)): 4.1 mm²/s (4.1 cSt) [ASTM D 445]			
Solubility(ies)	1				
·····					
Media		Result			
		Result Not soluble Not soluble			
Media cold water	:	Not soluble			
Media cold water hot water		Not soluble Not soluble			
Media cold water hot water Solubility in water Partition coefficient: n-octanol/	:	Not soluble Not soluble Not available.			
Media cold water hot water Solubility in water Partition coefficient: n-octanol/ water	:	Not soluble Not soluble Not available. Not applicable.			
Mediacold waterhot waterSolubility in waterPartition coefficient: n-octanol/ waterVapor pressure	:	Not soluble Not soluble Not available. Not applicable. <0.01 kPa (<0.075006 mm Hg)			
Media cold water hot water Solubility in water Partition coefficient: n-octanol/ water Vapor pressure Density	: : : : :	Not soluble Not soluble Not available. Not applicable. <0.01 kPa (<0.075006 mm Hg) 0.82 g/cm³ [15°C (59°F)] [ASTM D 4052]			
Mediacold waterhot waterSolubility in waterPartition coefficient: n-octanol/ waterVapor pressureDensityVapor density	: : : : :	Not soluble Not soluble Not available. Not applicable. <0.01 kPa (<0.075006 mm Hg) 0.82 g/cm³ [15°C (59°F)] [ASTM D 4052] Not available.			
Mediacold waterhot waterSolubility in waterPartition coefficient: n-octanol/ waterVapor pressureDensityVapor densityExplosive properties	: : : : :	Not soluble Not soluble Not available. Not applicable. <0.01 kPa (<0.075006 mm Hg) 0.82 g/cm³ [15°C (59°F)] [ASTM D 4052] Not available. Not applicable.			
Mediacold waterhot waterSolubility in waterPartition coefficient: n-octanol/ waterVapor pressureDensityVapor densityExplosive propertiesOxidizing properties	: : : : :	Not soluble Not soluble Not available. Not applicable. <0.01 kPa (<0.075006 mm Hg) 0.82 g/cm ³ [15°C (59°F)] [ASTM D 4052] Not available. Not applicable.			
Mediacold waterhot waterSolubility in waterPartition coefficient: n-octanol/ waterVapor pressureDensityVapor densityExplosive propertiesOxidizing propertiesParticle characteristics	: : : : :	Not soluble Not available. Not applicable. <0.01 kPa (<0.075006 mm Hg) 0.82 g/cm³ [15°C (59°F)] [ASTM D 4052] Not available. Not applicable. Not applicable. Not applicable.			
Media cold water hot water Solubility in water Partition coefficient: n-octanol/ water Vapor pressure Density Vapor density Explosive properties Oxidizing properties Particle characteristics Median particle size 9.2 Other information 9.2.1 Information with regard to	: : : :	Not soluble Not soluble Not available. Not applicable. <0.01 kPa (<0.075006 mm Hg) 0.82 g/cm³ [15°C (59°F)] [ASTM D 4052] Not available. Not applicable. Not applicable. Not applicable. Not applicable.			
Mediacold waterhot waterSolubility in waterPartition coefficient: n-octanol/ waterVapor pressureDensityVapor densityExplosive propertiesOxidizing propertiesParticle characteristics Median particle size9.2 Other information	: : : : : ph	Not soluble Not available. Not applicable. <0.01 kPa (<0.075006 mm Hg) 0.82 g/cm³ [15°C (59°F)] [ASTM D 4052] Not available. Not applicable. Not applicable.			

9.2.2 Other safety characteristics

SECTION 10: Stability and reactivity

10.1 Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
10.2 Chemical stability	: The product is stable.
10.3 Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
10.4 Conditions to avoid	: No specific data.
10.5 Incompatible materials	: Reactive or incompatible with the following materials: Strong oxidizing materials
10.6 Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Severely refined mineral oil (C15 - C50) * - H304	LC50 Inhalation Dusts and mists LD50 Dermal LD50 Oral	Rat - Male, Female Rabbit Rat	5.53 mg/l >5000 mg/kg >5000 mg/kg	4 hours - -
Distillates (petroleum), hydrotreated light naphthenic	LC50 Inhalation Dusts and mists	Rat Rat	2180 mg/m³ >5000 mg/kg	4 hours -

Conclusion/Summary : Not available.

Acute toxicity estimates

Product/ingredient name	Oral (mg/ kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapors) (mg/l)	Inhalation (dusts and mists) (mg/l)
Severely refined mineral oil (C15 - C50) * - H304	N/A	N/A	N/A	N/A	5.53

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Severely refined mineral oil (C15 - C50) * - H304	Eyes - Iris lesion	Rabbit	0	48 hours	72 hours
	Eyes - Redness of the conjunctivae	Rabbit	0.33	48 hours	72 hours
	Skin - Edema Skin - Erythema/Eschar	Rabbit Rabbit	0 0.17	72 hours 72 hours	7 days 7 days

Conclusion/Summary : Not available.

Sensitization

Product/ingredient name	Route of exposure	Species	Result
Severely refined mineral oil (C15 - C50) * - H304	skin	Guinea pig	Not sensitizing

Conclusion/Summary : Not available.

Mutagenicity

SECTION 11: Toxicological information

	-		
Product/ingredient name	Test	Experiment	Result
Severely refined mineral oil (C15 - C50) * - H304	474 Mammalian Erythrocyte Micronucleus Test	Experiment: In vivo Subject: Mammalian-Animal Cell: Somatic	Negative

Conclusion/Summary

: Not available.

Carcinogenicity

Product/ingredient name	Result	Species	Dose	Exposure
Severely refined mineral oil (C15 - C50) * - H304	Negative - Dermal - TC	Mouse - Female	-	78 weeks

Conclusion/Summary : Not available.

Reproductive toxicity

Product/ingredient name	Maternal toxicity	Fertility	Development toxin	Species	Dose	Exposure
Severely refined mineral oil (C15 - C50) * - H304	Negative	Negative	Negative	Rat - Male, Female	Oral: 1000 mg/ kg	-

Conclusion/Summary : Not available.

Teratogenicity

Product/ingredient name	Result	Species	Dose	Exposure
Severely refined mineral oil (C15 - C50) * - H304	Negative - Dermal	Rat	2000 mg/kg	7 days per week

Conclusion/Summary : Not available.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Product/ingredient name	Result
Severely refined mineral oil (C15 - C50) * - H304	ASPIRATION HAZARD - Category 1
Distillates (petroleum), hydrotreated light naphthenic	ASPIRATION HAZARD - Category 1

Information on the likely

routes of exposure

: Not available.

Potential acute health effects

Eye contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: Defatting to the skin. May cause skin dryness and irritation.
Ingestion	: May be fatal if swallowed and enters airways.

Symptoms related t	to the physical, chemical and toxicological characteristics
Eye contact	: No specific data.
Inhalation	: No specific data.

initialation	
Skin contact	: Adverse symptoms may include the following: irritation dryness cracking
Ingestion	: Adverse symptoms may include the following: nausea or vomiting

SECTION 11: Toxicological information

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure	
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
<u>Long term exposure</u>	
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.

Potential chronic health effects

Product/ingredient name	Result	Species	Dose	Exposure
Severely refined mineral oil (C15 - C50) * - H304	Sub-acute LOAEL Oral	Rat - Male	125 mg/kg	13 weeks; 5 hours per day
	Sub-chronic NOAEL Oral	Rat - Male, Female	≥2000 mg/kg	13 weeks; 5 days per week
	Sub-acute NOAEL Inhalation Vapor	Rat - Male	>980 mg/m³	4 weeks; 5 days per week
Conclusion/Summary	: Not available.		·	
General	: Prolonged or repeated contact can defat the skin and lead to irritation, cracking and/ or dermatitis.			
Carcinogenicity	: No known significant effects	or critical hazard	ls.	
Mutagenicity	: No known significant effects	or critical hazard	ls.	
Reproductive toxicity	: No known significant effects	or critical hazard	ls.	

11.2 Information on other hazards

11.2.1 Endocrine disrupting properties

Not available.

11.2.2 Other information

Not available.

SECTION 12: Ecological information

12.1 Toxicity

Product/ingredient name	Result	Species	Exposure
Severely refined mineral oil (C15 - C50) * - H304	Acute NEL >100 mg/l Fresh water	Algae	72 hours
	Acute NEL >10000 mg/l Fresh water Acute NEL ≥100 mg/l Fresh water Chronic NEL 10 mg/l Fresh water	Daphnia - <i>Daphnia Magma</i> Fish - <i>Pimephales promelas</i> Daphnia - <i>Daphnia magna</i>	48 hours 96 hours 21 days

Conclusion/Summary : Not available.

12.2 Persistence and degradability

Conclusion/Summary : Not available.

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
Severely refined mineral oil (C15 - C50) * - H304	-	-	Inherent

12.3 Bioaccumulative potential

Not available.

SECTION 12: Ecological information

12.4 Mobility in soil	
Soil/water partition coefficient (Koc)	: Not available.
Mobility	: Not available.

12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

12.6 Endocrine disrupting properties

Not available.

12.7 Other adverse effects

No known significant effects or critical hazards.

SECTION 13: Disposal considerations

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

13.1 Waste treatment methods

<u>Product</u>	
Methods of disposal	: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.
Hazardous waste	: Yes.

European waste cataloque (EWC)

Waste code	Waste designation
13 02 05*	mineral-based non-chlorinated engine, gear and lubricating oils
Packaging	
Methods of disposal	 The generation of waste should be avoided or minimized wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.
Special precautions	: This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

lot regulated.	Not regulated.	Not regulated.	Not regulated.
	-	-	-
	-	-	-
	n : 04-12-202	n : 04-12-2023 Date of previous issue	n : 04-12-2023 Date of previous issue : 09-01-2020

SECTION 14: Transport information					
14.4 Packing group	-	-	-	-	
14.5 Environmental hazards	No.	No.	No.	No.	

user

14.6 Special precautions for : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Maritime transport in : Not available. bulk according to IMO instruments

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU Regulation (EC) No. 1907/2006 (REACH)

Annex XIV - List of substances subject to authorization

Annex XIV

None of the components are listed.

Substances of very high concern

None of the components are listed.

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

Product/ingredient name			%	Designation [Usage]			
Q8 Multi-Spray Base			≥90	3			
Labeling	:	Not applicab	le.				
<u> Other EU regulations</u>							
Industrial emissions (integrated pollution prevention and control) - Air	:	Not listed					
Industrial emissions (integrated pollution prevention and control) - Water	:	Not listed					
Explosive precursors	:	Not applicab	le.				
Ozone depleting substance	es	<u>(1005/2009/E</u>	<u>:U)</u>				
Not listed.							
Prior Informed Consent (Pl	IC)	(649/2012/E	<u>U)</u>				
Not listed.			-				
Persistent Organic Polluta Not listed.	<u>nts</u>	È					
Seveso Directive							
This product is not controlled	l ur	nder the Seve	eso Directive.				
lational regulations							
<u>Germany</u>							
Hazard class for water (WGK)	:	1					
te of issue/Date of revision		:04-12-2023	Date of previo	ous issue : 09-01-2020	Version	: 1.05	12/1

Switzerland		
VOC content	: Exempt.	
nternational regulati	ons	
Chemical Weapon Co	nvention List Schedules I, II & III Chemicals	
Not listed.		

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC) Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

Inventory list		
Australia	:	Not determined.
Canada	1	Not determined.
China	1	Not determined.
Eurasian Economic Union	1	Russian Federation inventory: Not determined.
Japan	:	Japan inventory (CSCL): Not determined. Japan inventory (ISHL): Not determined.
New Zealand	:	Not determined.
Philippines	:	Not determined.
Republic of Korea	:	Not determined.
Taiwan	1	Not determined.
Thailand	1	Not determined.
Turkey	1	Not determined.
United States of America	1	Not determined.
Viet Nam	:	Not determined.
15.2 Chemical Safety Assessment	:	Chemical Safety Assessments for all substances in this product are either Complete or Not applicable.

SECTION 16: Other information

Indicates information that has changed from previously issued version.

Abbreviations and acronyms	 ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road ASTM = American Society for Testing and Materials ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor CAS = Chemical Abstracts Service CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008] DIN = German Institute for Standardization DMEL = Derived Minimal Effect Level DNEL = Derived No Effect Level EC = European Commission EC50 = Half maximal effective concentration EN = European Standard (Norm) EUH statement = CLP-specific Hazard statement

SECTION 16: Other information

GHS - Globally Harmonized System of Classification and Labeling of Chemicals
IATA = International Air Transport Association
IBC = Intermediate Bulk Container
IC50 = Half maximal inhibitory concentration
IMDG = International Maritime Dangerous Goods
IMO = International Maritime Organisation
ISO = International Organization for Standardization
LC50 = Median lethal concentration
LD50 = Median lethal dose
LOAEL / LOAEC = Lowest Observed Adverse Effect Level / Concentration
MARPOL = International Convention for the Prevention of Pollution From Ships,
1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
N/A = Not available
NOAEL / NOAEC = No Observed Adverse Effect Level / Concentration
NOEL / NOEC = No Observed Effect Level / Concentration
OECD = Organisation for Economic Co-operation and Development
OEL = Occupational Exposure Limit
PBT = Persistent, Bioaccumulative and Toxic
PNEC = Predicted No Effect Concentration
REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals
Regulation [Regulation (EC) No. 1907/2006]
RID = The Regulations concerning the International Carriage of Dangerous Goods
by Rail
SDS = Safety Data Sheet
SVHC = Substances of Very High Concern
STEL = Short Term Exposure Limit
TLV = Threshold Limit Value
TWA = Time Weighted Average
UFI = Unique Formula Identifier
UN = United Nations
VOC = Volatile Organic Compound
vPvB = Very Persistent and Very Bioaccumulative
ve vo – very reconstent and very bloaccumulative

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification	Justification
Asp. Tox. 1, H304	Calculation method

The mineral base oils contained in this product are severely refined and contain less than 3% DMSO extract according to IP 346 method, and are therefore not classified as carcinogen according to Regulation (EC) No 1272/2008, note L.

Note L: The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346 "Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions — Dimethyl sulphoxide extraction refractive index method", Institute of Petroleum, London. This note applies only to certain complex oil-derived substances in Part 3.

Full text of abbreviated H statements

H304 May be fatal if swallowed and enters airways.		
Full text of classifications [CLP/GHS]		
Asp. Tox. 1	ASPIRATION HAZARD - Category 1	
Training advice	: Ensure operatives are trained to minimise exposures.	
Date of printing	: 04-12-2023	
Date of issue/ Date of revision	: 04-12-2023	
Date of previous issue	e : 09-01-2020	
Version	: 1.05	
Prepared by <u>Notice to reader</u>	: Kuwait Petroleum Research & Technology B.V., The Netherlands	

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) 2020/878 - Belgium

Q8 Multi-Spray Base

SECTION 16: Other information

The information in this SDS is based on the present state of our knowledge and on current laws. The product is not to be used for purposes other than those specified under section 1 without first obtaining written handling instructions. It is always the responsibility of the user to take all necessary steps to fulfill the demands set out in the local rules and legislation. The information in this SDS is meant to be a description of the safety requirements for our product. It is not to be considered a guarantee of the product's properties.